



SYMANTEC Education Assessment

Enterprise Vault

- 1. Which of the following is NOT a function of Enterprise Vault?**
 - Archive data from Exchange servers
 - Archive data from SQL servers
 - Archive data from SharePoint servers
 - Archive data from File servers

- 2. Which of the following components is installed on an Enterprise Vault Client?**
 - Enterprise Vault Administration Console
 - Microsoft Exchange Forms
 - Microsoft Outlook User Extensions
 - Outlook Web Access Extensions

- 3. Which of the following is NOT a logical component of Enterprise Vault?**
 - Retention Category
 - Archiving Target
 - Disk Partition
 - Vault Store

- 4. Which of the following is NOT a prerequisite for the installation of Enterprise Vault?**
 - MSMQ
 - ActiveX
 - SQL
 - IIS

- 5. Which of the following must be completed after the installation of Enterprise Vault?**
 - Start Internet Explorer
 - Add license key
 - Migrate files from the Outlook InBox
 - Start the services

6. Which of the following statements is NOT true about running the Enterprise Vault Configuration Program?

- Run after an upgrade installation
- Run after a standard installation
- May be run several times per server
- Required before EV server can be used

7. Which of the following operations are performed by the Enterprise Vault Configuration Program?

- Adds a new computer to the Vault Site and enables mailboxes
- Adds a new computer to the Vault Site and creates an archiving target
- Selects SQL server to use for the Vault directory DB and defines the site index level
- Selects SQL server to use for the Vault directory DB and selects storage locations for EV data

8. What is the maximum number of retention categories?

- 3
- 9
- 26
- Unlimited

9. Storage Expiry defines which of the following?

- When migrated items are moved from a user's control to the control of Enterprise Vault
- When files are removed from the user's mailbox
- When migrated files are deleted from the vault store
- When the partition is closed and a new partition created

10. When configuring a Vault Store, which of the following is NOT true?

- You cannot change the Storage Service associated with a configured Vault Store
- Mailbox_VaultStore is a valid Vault Store name
- Each Vault Store must have a separate Vault Store database
- The value set for Remove safety copies affects how long archived items remain "pending" in mailboxes

11. Which of the following devices are NOT suitable for Vault Store Partitions?

- EMC Centera
- IBM TotalStorage DR550
- NetApp SnapLock
- An NTFS volume in a SAN

12. Which of the following statements about Vault Store Partitions is NOT true?

- To enable single-instance storage of items, select "Share archived items" in the properties of a Vault Store Partition
- To facilitate the backup of archived data, you can use NetBackup to collect saveset files in Vault Store Partitions
- On NTFS Vault Store Partitions, items in collected files are NOT shared
- You extend the disk space available for archives by adding new Vault Store Partitions

13. Which of the following statements about user access to archived items is true?

- Enterprise Vault User Extensions must be installed on desktops if users are to access archived items using OWA clients
- A different set of Enterprise Vault User Extensions must be installed on desktops for users to have the Offline Vault feature
- You can control the Enterprise Vault buttons displayed in Outlook using the Mailbox Policy in the Administrator's Console
- Users with IMAP or POP3 email clients cannot access archived items from within their client

14. Which of the following features is provided by the Enterprise Vault User Extensions but NOT by the Self-Installing User Extensions?

- User can archive an item manually
- User can select a different destination archive when archiving an item manually
- Extensions communicate with Enterprise Vault using HTTP
- Archive Explorer button is displayed in Outlook

15. How does an administrator configure the user functionality available with Offline Vault and OWA?

- Site -> Properties
- Policy -> Advanced Settings
- Outlook->Tools -> Vault Options
- DesktopSettings.txt file

16. Which of the following procedures will allow an Administrator to customize the Web Access Application search features?

- Modify the WebApp.ini file
- Create a custom policy
- Run the EV Configuration Program
- Search features are customized by the client

17. Which of the following statements are NOT true of the Archive Search client tools?

- Attributes indexed by EV but not shown on the search page can be searched using the “Other Attribute” field
- Custom MAPI properties can be searched by EV, if indexed
- Permissions will prevent, but will not restrict, search results
- Users can group multiple search results in shopping baskets, to be viewed at a later time

18. Most of the following are implemented as Tasks. Which one is implemented as a Service?

- Exchange Mailbox Archiving
- Indexing
- PST Migration
- Exchange Journaling

19. When creating an Exchange archive target, which of the following archiving tasks are NOT available?

- Exchange PST file task
- Exchange Mailbox Task
- Exchange Public Folder Task
- Exchange Journaling Task

20. Which of the following objects are configurable within an Exchange archiving target?

- Organizational Units, Exchange servers and Windows users
- Organizational Units, Exchange servers and Windows domains
- Exchange sites, Exchange servers, and Windows users
- Exchange sites, Organizational units and Windows domains

21. Automated mailbox migration occurs according to what schedule?

- Site schedule
- Scheduler service
- User's logon
- Number of items in the InBox

22. Which of the following lists shows the options available for the migration task in the Run Now mode?

- Mode, number of mailboxes, number of items
- Interval, synchronization, mailboxes
- Number of mailboxes, mailbox selection, users
- Report only, interval, vault store

23. When customizing shortcuts, which of the following is NOT true?

- You can add company branding to the banners in shortcuts
- To assist in controlling the mailbox size, you can reduce how much of the message is included in the shortcut
- To prevent users downloading large files, you can exclude links to attachments in shortcuts
- To ensure that users can access their archived items, you can reduce the size of the shortcut, but not turn off the creation of shortcuts altogether

24. To enable IMAP and POP3 client users to access archived items from shortcuts, which of the following steps do you need to take?

- In the Mailbox Policy, on the Advanced page, select "Enable internet client shortcuts" in the Settings list and add a ShortcutText.txt file to the appropriate language folder
- Select Customize on the Shortcuts page in the Mailbox Policy and add a ShortcutText.txt file to the Enterprise Vault folder
- In the Mailbox Policy, select Customize on the Shortcuts page, and on the Advanced page, select "Enable internet client shortcuts" in the Settings list
- Shortcuts cannot be used to access archived items on non-Outlook mail clients

25. An Exchange Journaling Task performs which of the following activities?

- Archives items from users' Outlook journals
- Archives items from one or more Exchange journal mailboxes
- Takes a copy of every item entering or leaving Enterprise Vault
- Passes items to the Journaling Connector for processing

26. Which of the following statements about Enterprise Vault Journal Archiving is true?

- To prevent the Journal mailbox filling, you have to configure the Journaling Task to delete shortcuts
- The Journaling Task only archives message types configured for archiving in the Administration Console
- To ensure regular archiving from the Journal mailbox, you must set an archiving schedule for the Journaling Task
- You must create journal archives manually

27. When configuring public folder archiving, which of the following is true?

- You can archive items from all public folders into a single archive
- A separate Exchange Public Folder Archiving Task must be created for each top-level target public folder
- In auto-enabled public folder archiving, items from the top-level public folder and any sub-folders are stored in the same archive
- Sub-folders in a public folder tree can be assigned to different Exchange Public Folder Archiving Tasks

28. The preservation of access permissions is important in public folder archiving. Which of the following statements is true?

- To synchronize permissions on public folders, click Synchronize on the Synchronization page of the Public Folder Archiving Task properties
- To change the archiving settings on a public folder from Outlook, you need Editor permissions on the public folder
- Users with Reviewer access to a public folder can restore an archived public folder item to a folder in their mailbox by copying the shortcut from the public folder and then restoring the item
- Access permission to public folder archives cannot be configured using the Administrator's Console

29. Which of the following describes the procedure for an Application Service Provider (ASP) user to automate the enabling and disabling mailboxes in Enterprise Vault?

- Launch the Enterprise Vault Configuration Program and follow the on-screen prompts
- Call the Provisioning API from any language that supports scripting components
- Create a policy on the site level configured for mailbox automation
- Create a registry entry to enable automation, and customize the corresponding .ini files

30. Which of the following lists the correct tasks to migrate PST files?

- Migrator, storage, retrieval
- Copy, migration, storage
- Locator, collector, migrator
- Locator, copy, storage

31. For automated PST migration to occur, which of the following must be completed first?

- Users must copy their PSTs to a central location
- The Locate/Migrate task must be installed on each user's workstation
- Users must copy all the messages in their PSTs to a folder in Outlook
- A PST holding directory must be created

32. Using client-driven PST migration, which of the following is a valid option after the completion of the migration?

- Compact the PST
- Set the PST to 'read only'
- Delete the PST
- Hide the PST

33. Which of the following is NOT an appropriate troubleshooting step for a problem with the PST locator task?

- The Vault service account should be a member of the Domain Administrators group
- The PST Locator task service account should be a member of local Administrators group
- Log files in the reports directory should be reviewed
- The OS Event Viewer logs should be reviewed

34. Which of the following is NOT a common problem with PST Migration?

- The client system has a firewall enabled
- The EV service account has insufficient rights
- The target PST file has encryption enabled
- The target PST file is password protected

35. Which is NOT a valid setting for handling a PST file after migration?

- Delete it
- Move it to backup folder
- Set it to be Read-Only
- Hide it from view

36. Which items are mandatory entries for the PST Defaults section?

- Migration Mode, MailboxFolder
- PSTLanguage, Migration Mode
- PSTLanguage, ShortcutMode
- MailboxDN, MailboxFolder

37. File migration is controlled by which of the policy pairs listed?

- Target server, file properties
- Volume, folder
- Volume, file attributes
- Server, filter

38. File archiving policies have which of the following controls?

- Quotas, retention, shortcut type, file rules
- Quotas, internet links, file rules, file attributes
- Shortcut type, file rules, vault store, archive points
- Share name, archive point, partition

39. Which of the following is true when accessing files archived using File System Archiving?

- You can access archived files using Archive Explorer in Outlook
- Files larger than 50 MB can only be restored using Archive Explorer
- If you open an archived file, using the placeholder shortcut, then edit and save the file, the shortcut then references the updated file
- Users can use the browser search to restore files to the file server

40. Which of the following describes the purpose of the File System Archiving pruning feature?

- Enables you to control versions of files on a file server when using placeholder shortcuts
- Enables you to delete old versions on a SharePoint server when versioning is enabled
- Enables you to delete old versions of files in SharePoint and File System archives
- Enables you to delete old versions of files in File System archives

41. How do you start a pruning run for File System Archiving?

- Right-click the File System Archiving Task and select Prune
- Double-click FSARunNow in the Enterprise Vault folder on the file server
- In a command prompt, run FSARunNow with the Prune switch on the Storage Service computer
- Select the Prune option in the properties of the File System Archiving Target

SYMANTEC Education Assessment

Vos Coordonnées

Tous les champs doivent contenir des données valides

Prénom:

Nom

Société

Type de société

Activité

Titre

Fonction

Téléphone

Email:

Adresse 1

Adresse 2

Ville

Etat/Province

Pays

Code Postal

Préférence Email

HTML

Text only

Produit Utilisé

Nombre d'employés sur
votre site

Oui, je souhaite recevoir des informations à propos des produits et
services SYMANTEC par courriel